Letters in Applied Microbiology

Edited by

C.R. Harwood

Volume 39, 2004

Copyright © 2004, by The Society for Applied Microbiology

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the Society

Print ISSN 0266-8254
Online ISSN 1472-765X

Published by
Blackwell Publishing Ltd
OXFORD BOSTON MELBOURNE BERLIN
COPENHAGEN TOKYO AMES

Contents

Volume 39, Issue 1, July 2004

1 Author Guidelines

7 *In vitro* fungitoxic activity of *Larrea divaricata* cav. extracts *E.N. Quiroga, A.R. Sampietro & M.A. Vattuone*

13 Kinetics of enhanced ethanol productivity using raw starch hydrolyzing glucoamylase from *Aspergillus niger* mutant produced in solid state fermentation *M.I. Rajoka, A. Yasmin & F. Latif*

19 The expression of COX2 protein induced by *Lactobacillus rhamnosus* GG, endotoxin and lipoteichoic acid in T84 epithelial cells *R. Korhonen, O. Kosonen, R. Korpela & E. Moilanen*

25 A PCR-based method that permits specific detection of *Paenibacillus larvae* subsp. *larvae*, the cause of American Foulbrood of honey bees, at the subspecies level *A.M. Alippi, A.C. López & O.M. Aguilar*

34 Use of *rpoB* gene analysis for identification of nitrogen-fixing *Paenibacillus* species as an alternative to the 16S rRNA gene *F.F. da Mota, E.A. Gomes, E. Paiva, A.S. Rosado & L. Seldin*

41 Investigation of extended-spectrum β-lactamases produced by clinical isolates of *Klebsiella pneumoniae* and *Escherichia coli* in Korea *S.H. Jeong, I.K. Bae, S.B. Kwon, J.H. Lee, H.I. Jung, J.S. Song, B.C. Jeong, S.-J. Kim & S.H. Lee*

48 Typical metabolic traits of two *Oenococcus oeni* strains isolated from Valpolicella wines *G. Zapparoli, M. Moser, F. Dellaglio, R. Tourdot-Maréchal & J. Guzzo*

55 Interaction between endophytic bacteria from citrus plants and the phytopathogenic bacteria *Xylella fastidiosa*, causal agent of citrus-variegated chlorosis *P.T. Lacava, W.L. Araújo, J. Marcon, W. Maccheroni & J.L. Azevedo*

60 Antimicrobial activities of eucalyptus leaf extracts and flavonoids from *Eucalyptus maculata* *T. Takahashi, R. Kokubo & M. Sakaino*

65 The *Bacillus* secretion stress response is an indicator for α-amylase production levels *H. Westers, E. Darmon, G. Zanen, J.-W. Veening, O.P. Kuipers, S. Bron, W.J. Quax & J.M. van Dijl*

74 Differential impact of some *Aspergillus* species on *Meloidogyne javanica* biocontrol by *Pseudomonas fluorescens* strain CHA0 *I.A. Siddiqui, S.S. Shaukat & A. Khan*

84 Molecular heterogeneity among north Indian isolates of Group A *Streptococcus* *V. Sagar, D.K. Bakshi, S. Nandi, N.K. Ganguly, R. Kumar & A. Chakraborti*

89 *Bacillus thuringiensis* serovar *shandongiensis* strain 89-T-34-22 produces multiple cytotoxic proteins with similar molecular masses against human cancer cells *S. Okumura, T. Akao, K. Higuchi, H. Saitoh, E. Mizuki, M. Ohba & K. Inouye*

93 Antimicrobial activity of isocytisoside and extracts of *Aquilegia vulgaris* L. *W. Bylka, M. Szaufer-Hajdrych, I. Matlawska & O. Goślińska*

98 Application of electrospray ionization mass spectrometry in rapid typing of fengycin homologues produced by *Bacillus subtilis* *J. Wang, J. Liu, X. Wang, J. Ya & Z. Yu*

103 Comparison of the biotypes of *Yersinia enterocolitica* isolated from pigs, cattle and sheep at slaughter and from humans with yersiniosis in Great Britain during 1999–2000 *A. McNally, T. Cheasty, C. Fearnley, R.W. Dalziel, G.A. Paiba, G. Manning & D.G. Newell*

109 Design of a 5′ exonuclease-based real-time PCR assay for simultaneous detection of *Bacillus licheniformis*, members of the '*B. cereus* group' and *B. fumarioli* in gelatine *E. De Clerck, K. Van Mol, G. Jannes, R. Rossau & P. De Vos*

Volume 39, Issue 2, August 2004

117 A REVIEW: Updated perspectives on emerging vibrios associated with human infections *G.M. Tantillo, M. Fontanarosa, A. Di Pinto & M. Musti*

127 Quantitative RT-PCR for the enumeration of noroviruses (Norwalk-like viruses) in water and sewage *M.A. Laverick, A.P. Wyn-Jones & M.J. Carter*

137 High-level gene expression in *Lactobacillus plantarum* using a pheromone-regulated bacteriocin promoter *G. Mathiesen, E. Sørvig, J. Blatny, K. Naterstad, L. Axelsson & V.G.H. Eijsink*

144 Assessment of ciliates in the sheep rumen by DGGE *M. Regensbogenova, P. Pristas, P. Javorsky, S.Y. Moon-van der Staay, G.W.M. van der Staay, J.H.P. Hackstein, C.J. Newbold & N.R. McEwan*

148 Rapid and quantitative detection of the microbial spoilage in chicken meat by diffuse reflectance spectroscopy (600–1100 nm) *M. Lin, M. Al-Holy, M. Mousavi-Hesary, H. Al-Qadiri, A.G. Cavinato & B.A. Rasco*

156 Evaluation of *Cryptosporidium parvum* oocyst recovery efficiencies from various filtration cartridges by electrochemiluminescence assays *Y. Lee, L.L. Gomez, I.T. McAuliffe & V.C.W. Tsang*

163 Co-composting of PAH-contaminated soil with poultry manure *H.I. Atagana*

169 Decontamination effect of electrolysed NaCl solutions on carp *B.S.M. Mahmoud, K. Yamazaki, K. Miyashita, S. Il-Shik, C. Dong-Suk & T. Suzuki*

174 Chlorophyllin protects HEp-2 cells from nuclear fragmentation induced by poliovirus *M.V.J. Botelho, J.M. Orlandi, F.L. de Melo, M.S. Mantovani, R.E.C. Linhares & C. Nozawa*

178 *Streptomyces* sp. strain isolated from river water has high bisphenol A degradability *J.-H. Kang, N. Ri & F. Kondo*

181 Characterization of a protease of a feather-degrading *Microbacterium* species *R.C.S. Thys, F.S. Lucas, A. Riffel, P. Heeb & A. Brandelli*

187 Comparison of primers for the detection of *Salmonella enterica* serovars using real-time PCR *A.T. Csordas, J.D. Barak & M.J. Delwiche*

194 Virucidal activity of the new disinfectant monopercitric acid *P. Wutzler & A. Sauerbrei*

199 Manipulating the pyruvate dehydrogenase bypass of a multi-vitamin auxotrophic yeast *Torulopsis glabrata* enhanced pyruvate production *L.-M. Liu, Y. Li, H.-Z. Li & J. Chen*

207 Levels of zoonotic agents in British livestock manures *M.L. Hutchison, L.D. Walters, S.M. Avery, B.A. Synge & A. Moore*

215 Isolation of bacteriophages from the oral cavity *G. Hitch, J. Pratten & P.W. Taylor*

Volume 39, Issue 3, September 2004

221 Detection of *Helicobacter pylori* in water by direct PCR *J.A. Benson, K.A. Fode-Vaughan & M.L.P. Collins*

226 *In vitro* new dialysis protocol to assay the antiseptic properties of a quaternary ammonium compound polymerized with denture acrylic resin *C. Pesci-Bardon, T. Fosse, I. Madinier & D. Serre*

232 Genetic diversity of *Neisseria meningitidis* strains isolated in Rio de Janeiro, Brazil, evaluated by multilocus enzyme electrophoresis *I. de Filippis, C.A. Salles, V. Zahner, C.R.S. do Nascimento & H. Momen*

240 Comparative analysis of conserved genetic markers and adjacent DNA regions identified in beer-spoilage lactic acid bacteria *K. Suzuki, K. Ozaki & H. Yamashita*

246 Use of a fluorescent viability stain to assess lethal and sublethal injury in food-borne bacteria exposed to high-intensity pulsed electric fields *S. Yaqub, J.G. Anderson, S.J. MacGregor & N.J. Rowan*

252 Some potential sources for transmission of *Campylobacter jejuni* to broiler chickens *S.S. Ramabu, N.S. Boxall, P. Madie & S.G. Fenwick*

257 Phylogenetic analysis of methyl coenzyme-M reductase detected from the bovine rumen *N. Tatsuoka, N. Mohammed, M. Mitsumori, K. Hara, M. Kurihara & H. Itabashi*

261 The pattern and kinetics of substrate metabolism of *Campylobacter jejuni* and *Campylobacter coli* *K.A.S. Mohammed, R.J. Miles & M.A. Halablab*

267 Development of a 16S rDNA-targeted PCR assay for monitoring of *Lactobacillus plantarum* and *Lact. rhamnosus* during co-cultivation for production of inoculants for silages *M. Klocke & K. Mundt*

274 Enhanced resolution of random amplified polymorphic DNA genotyping of *Pseudomonas aeruginosa* *S. Barnini, C. Dodi & M. Campa*

278 Isolation of salt-sensitive mutants from *Sinorhizobium meliloti* and characterization of genes involved in salt tolerance *W. Wei, J. Jiang, X. Li, L. Wang & S.S. Yang*

284 Barotolerance is inducible by preincubation under hydrostatic pressure, cold-, osmotic- and acid-stress conditions in *Lactobacillus sanfranciscensis* DSM 20451^T *C.H. Scheyhing, S. Hörmann, M.A. Ehrmann & R.F. Vogel*

290 Quantification of *Listeria monocytogenes* in fermented sausages by MPN-PCR method *B. Martín, A. Jofré, M. Garriga, M. Hugas & T. Aymerich*

296 The behaviour of log phase *Escherichia coli* at temperatures that fluctuate about the minimum for growth *T. Jones, C.O. Gill & L.M. McMullen*

301 A fluorescence-based method for the detection of adhesive properties of lactic acid bacteria to Caco-2 cells *M.A. Bianchi, D. Del Rio, N. Pellegrini, G. Sansebastiano, E. Neviani & F. Brighenti*

306 Kinetics and effects of trace elements and electron complexes on 2-keto-4-methylthiobutyric acid-dependent biosynthesis of ethylene in soil *M. Arshad, Z.-H. Nazli, A. Khalid & Z.A. Zahir*

Volume 39, Issue 4, October 2004

311 Letter to the Editor *M. Hancox*

313 Purification and characterization of an endopeptidase that has an important role in the carboxyl terminal processing of antihypertensive peptides in *Lactobacillus helveticus* CM4 *K. Ueno, S. Mizuno & N. Yamamoto*

319 Antibacterial effect of crude water-soluble arrowroot (*Puerariae radix*) tea extracts on food-borne pathogens in liquid medium *S. Kim & D.Y.C. Fung*

326 Survey of mycoflora and ochratoxin A in dried vine fruits from Argentina markets *C. Magnoli, A. Astoreca, L. Ponsone, M. Combina, G. Palacio, C.A.R. Rosa & A.M. Dalcero*

332 Isolating *Mortierella alpina* strains of high yield of arachidonic acid *M. Zhu, L.J. Yu, Z. Liu & H.B. Xu*

336 Malt sprout extract medium for cultivation of *Lactobacillus plantarum* protective cultures *A. Laitila, M. Saarela, L. Kirk, M. Siika-aho, A. Haikara, T. Mattila-Sandholm & I. Virkajärvi*

341 Characterization of *Streptococcus bovis* from the rumen of the dromedary camel and Rusa deer *M.B. Ghali, P.T. Scott & R.A.M. Al Jassim*

347 Genotyping and genetic diversity of *Arcobacter butzleri* by amplified fragment length polymorphism (AFLP) analysis *S.L.W. On, H.I. Atabay, K.O. Amisu, A.O. Coker & C.S. Harrington*

353 Natural community structure of cyanobacteria in the South China Sea as revealed by *rpoC1* gene sequence analysis *Y. Ma, N.Z. Jiao & Y.H. Zeng*

359 Attachment and biofilm formation on stainless steel by *Escherichia coli* O157:H7 as affected by curli production *J.-H. Ryu, H. Kim, J.F. Frank & L.R. Beuchat*

363 Response surface methodology for optimizing the fermentation medium of *Clostridium butyricum* *G.Q. He, Q. Kong & L.X. Ding*

369 Influence of cultivating conditions on the α-galactosidase biosynthesis from a novel strain of *Penicillium* sp. in solid-state fermentation *C.L. Wang, D.F. Li, W.Q. Lu, Y.H. Wang & C.H. Lai*

376 A real-time polymerase chain reaction-based method for rapid and specific detection of spoilage *Alicyclobacillus* spp. in apple juice *H. Luo, A.E. Yousef & H.H. Wang*

383 Evaluation of the effectiveness of a commercially available defined substrate medium and enumeration system for measuring *Escherichia coli* numbers in faeces and soil samples *R.W. Muirhead, R.P. Littlejohn & P.J. Bremer*

Volume 39, Issue 5, November 2004

389 Investigation of shiga toxin-producing *Escherichia coli* in avian species in India *S.A. Wani, I. Samanta, M.A. Bhat & Y. Nishikawa*

395 Five essential oils from aromatic plants of Cameroon: their antibacterial activity and ability to permeabilize the cytoplasmic membrane of *Listeria innocua* examined by flow cytometry *J. Nguefack, B.B. Budde & M. Jakobsen*

401 Antimicrobial activity of ultrasound-assisted solvent-extracted spices *C. Thongson, P.M. Davidson, W. Mahakarnchanakul & J. Weiss*

407 A heat inducible tyrosinase with distinct properties from *Bacillus thuringiensis* *N. Liu, T. Zhang, Y.J. Wang, Y.P. Huang, J.H. Ou & P. Shen*

413 PCR-based identification and characterization of *Burkholderia cepacia* complex bacteria from clinical and environmental sources *S.-T. Seo & K. Tsuchiya*

420 Influence of batch or fed-batch growth on *Staphylococcus epidermidis* biofilm formation *N. Cerca, G.B. Pier, M. Vilanova, R. Oliveira & J. Azeredo*

425 Isolation and characterization of endophytic *Streptomyces* strains from surface-sterilized tomato (*Lycopersicon esculentum*) roots *L. Cao, Z. Qiu, J. You, H. Tan & S. Zhou*

431 Isolation and characterization of anti-*Salmonella* lactic acid bacteria from the porcine gastrointestinal tract *P.G. Casey, G.D. Casey, G.E. Gardiner, M. Tangney, C. Stanton, R.P. Ross, C. Hill & G.F. Fitzgerald*

439 Screening of lactic acid bacteria from fermented vegetables by carbohydrate profiling and PCR–ELISA *M. Tamminen, T. Joutsjoki, M. Sjöblom, M. Joutsen, A. Palva, E.-L. Ryhänen & V. Joutsjoki*

445 Incidence of antibiotic-resistant *Klebsiella pneumoniae* and *Enterobacter* species in freshwater wetlands *L. Halda-Alija*

451 Characterization of a bacteriocin produced by *Prevotella nigrescens* ATCC 25261 *J. Kaewsrichan, C.W.I. Douglas, J. Nissen-Meyer, G. Fimland & R. Teanpaisan*

459 Effects of Magnolol and Honokiol on the activities of streptococcal glucosyltransferases both in solution and adsorbed on an experimental pellicle *L. Jun, S. Jifang, L. Miaoquan, L. Yingyan & X. Xihong*

466 The outer membrane cytochromes of *Shewanella oneidensis* MR-1 are lipoproteins *C.R. Myers & J.M. Myers*

471 Inhibitory activity of 2-nitropropanol against select food-borne pathogens *in vitro* *Y.S. Jung, R.C. Anderson, T.R. Callaway, T.S. Edrington, K.J. Genovese, R.B. Harvey, T.L. Poole & D.J. Nisbet*

Volume 39, Issue 6, December 2004

477 Quantitative analysis of *amoA* mRNA expression as a new biomarker of ammonia oxidation activities in a complex microbial community *Y. Aoi, Y. Masaki, S. Tsuneda & A. Hirata*

483 Glycopeptide-resistance transferability from vancomycin-resistant enterococci of human and animal source to *Listeria* spp. *S. de Niederhäusern, C. Sabia, P. Messi, E. Guerrieri, G. Manicardi & M. Bondi*

490 Comparison of three immunological methods for detecting staphylococcal enterotoxins from food *C. Vernozy-Rozand, C. Mazuy-Cruchaudet, C. Bavai & Y. Richard*

495 Isolation and characterization of sulphur-oxidizing *Thiomonas* sp. and its potential application in biological deodorization *X.-G. Chen, A.-L. Geng, R. Yan, W.D. Gould, Y.-L. Ng & D.T. Liang*

504 Limitations of membrane cultures as a model solid-state fermentation system *Y.S.P. Rahardjo, D. Korona, S. Haemers, F.J. Weber, J. Tramper & A. Rinzema*

509 Evaluation of two real-time polymerase chain reaction pathogen detection kits for *Salmonella* spp. in food *P.-Y. Cheung, C.W. Chan, W. Wong, T.L. Cheung & K.M. Kam*

516 Comparison of fluorogenic and chromogenic assay systems in the detection of *Escherichia coli* O157 by a novel polymyxin-based ELISA *B.W. Blais, J. Leggate, J. Bosley & A. Martinez-Perez*

523 Genetic diversity of *Escherichia coli* recovered from the oral cavity of beef cattle and their relatedness to faecal *E. coli M. Aslam, G.G. Greer, F.M. Nattress, C.O. Gill & L.M. McMullen*

528 Differential inactivation of *Listeria monocytogenes* by D- and L-lactic acid *A. Gravesen, Z. Diao, J. Voss, B.B. Budde & S. Knochel*

533 Production of L-2,3-butanediol by a new pathway constructed in *Escherichia coli S. Ui, Y. Takusagawa, T. Sato, T. Ohtsuki, A. Mimura, M. Ohkuma & T. Kudo*

538 Indexes